
## Peninsular Sizing Chart


## Cap-Fixed Spherical Eye MP5 Mount



PRINT	uns	DIAIIK I	empiate	Page	

- PRINT the APPLICATION DATA SHEET (SCROLL DOWN)
- FILL IN the Required Information on BOTH PAGES
- FAX BOTH PAGES to Peninsular at (586) 775-4545

Date Submitted:	No. of Pages	
Name:		
Company:		
Phone:		
Fax:		
Email:		



ABOVE: Fill in actual Cylinder Dimensions. BELOW: Check ALL applicable boxes & provide ALL INFORMATION to best describe the Cylinder

☐ AIR CYLINDER - Indicate Working Pressure: ☐ HYDRAULIC CYLINDER ■ High Pressure with Tie Rods	Referencing the diagram below, indicate the <u>SIDE LOCATION #</u> for <u>PORTS</u> and/or <i>Optional</i> <u>CUSHION ADJUSTMENT SCREWS</u> for both the FRONT & REAR End Caps					
☐ HYDRAULIC CYLINDER ■ Low Pressure with Tie Rods         ☐ HYDRAULIC CYLINDER ■ Welded Type without Tie Rods         If Hydraulic - Indicate Working Pressure:         If Hydraulic - Indicate Maximum Rated Pressure:         If Hydraulic - Indicate Fluid Type:         Is the Cylinder an NFPA Cylinder?       Yes ☐ No ☐         Is the Cylinder METRIC?       Yes ☐ No ☐         if METRIC, specify Standard:	FRONT END CAP  The PORT (Hydraulic or Air) is located on SIDE LOCATION #s:  The CUSHION ADJUSTMENT SCREW (an Optional Cylinder Feature) is located on SIDE LOCATION #s:	End Cap Port / Cushion Adjustment Screw SIDE LOCATION # Diagram  Front				
Does the Cylinder have TIE RODs? Yes No Company No Cylinder TUBE MATERIAL:  Cylinder END CAP MATERIAL:  Are PROXIMITY SWITCHES used? Yes No Company No Com	PEAR END CAP  The PORT (Hydraulic or Air) is located on SIDE LOCATION #s:  The CUSHION ADJUSTMENT SCREW (an Optional Cylinder Feature) is located on SIDE LOCATION #s:	Always view the Cylinder through the Rod End from the Front End Cap side of the Cylinder				
PISTON ROD DIAMETER: PISTON ROD THREADS: Male Female Other (Describe):  Specify PISTON ROD THREAD DIAMETER, PITCH & LENGTH (example: 3/4" - 16 x 1.125"):  PORT THREAD TYPE: NPT SAE (O-Ring) Other (Describe) PORT THREAD SIZE (Specify):  Does the Cylinder have OPTIONAL CUSHION(s)? No on BOTH End Caps FRONT END CAP Only REAR END CAP Only  Indicate Existing Cylinders MANUFACTURER & MODEL NUMBER:  Is a Cylinder ACCESSORY Required? (ex. a Rod Clevis): No Yes (indicate Accessory type & provide Dimensions)  Indicate any other Special Cylinder Features if applicable. If available, provide Sketches, Engineering Drawings and Photog raphs of						



CYLINDER CO.

## **APPLICATION DATA SHEET**

## for NON-STANDARD Air or Hydraulic Cylinders

- PRINT this APPLICATION DATA SHEET
- FILL IN the Required Information on BOTH PAGES
- PRINT the SIZING CHART for the cylinder you need FAX BOTH PAGES to Peninsular at (586) 775-4545

BELOW: Check ALL Applicable Boxes & provide ALL INFORMATION to best describe the Cylinder

Date Submitted:	Type of Business:					
Company Name:	Contact Name:					
Address:	Title:					
City: State: Zip :	Telephone: Fax:					
Country:	Email:					
CHECK ONE: Distributor   End User   OEM   Other	Website:					
CYLINDER SPECIFICATIONS						
☐ AIR CYLINDER - Indicate Working Pressure:	BORE Size: STROKE Length:					
☐ HYDRAULIC CYLINDER	MOUNTING STYLE:					
If Hydraulic - Indicate Working Pressure:	PISTON ROD DIAMETER:					
If Hydraulic - Indicate Maximum Rated Pressure:	PISTON ROD THREADS: Male Female Other					
If Hydraulic - Indicate Fluid Type:	(describe Piston Rod Threads):					
(necessary because some Hydraulic Fluids destroy Seals)	Does the Cylinder have CUSHION(s)? Yes ☐ No ☐					
OTHER - Describe:	If Yes: FRONT END CAP REAR END CAP					
What is the Work	Being Performed?					
Weight of Load moved: on Extend: lbs. on Retro	act: lbs. on BOTH Extend & Retract: lbs.					
Cylinder Cycle Rate: Cycles per Minute C	ycles per Hour Cycles per Day					
Rod Speed: Extending"/sec. Retracting"/sec.	How many days per week will this cylinder operate?					
What is the Cylinder Orientation?						
Cylinder is Mounted: Vertically Rod Up Rod Down Angle Degrees: from Vertical from Horizontal						
Is Cylinder Piston Rod or Load Guided or Supported? Yes No	, , , , , , , , , , , , , , , , , , , ,					
Is Side Load Present? Yes No (if Yes, explain)	Side Load Weight: Ibs.					
What are the Environmental Conditi	ons that the Cylinder is Subjected to?					
What is the present Cylinder Type & Model Number if applicable?	<del>_</del>					
Temperature at the Cylinder (if applicable) is Degrees F. What is the variable temperature range (if applicable)? from:						
Cylinder Environment conditions: Corrosive Chemicals present	Abrasives present Water present Outdoors					
Other (please explain):						
What is the Application or Special Requirements?						
Are there any optional features applicable to this cylinder? Yes No If yes, please explain:						
What industry is the cylinder used in?						
What type of machine is the cylinder used on?						
Is a Cylinder ACCESSORY Required? (ex. a Rod Clevis): No Yes (indicate the type of Accessory& provide Dimensions on Page 10)						
Describe Application and/or Draw a Sketch of the Cylinder Within the Application.  Draw any Special Features Contained on this Cylinder (attach drawing if necessary)						
braw any opecial realures contained on this cylinder (attach drawing il necessary)						

Phone: (586) 775-7211 • Toll Free: (800) 526-7968 • Fax: (586) 775-4545 • www.peninsularcylinders.com • email: sales@peninsularcylinders.com